

We Energies Reduces Costs, Improves Performance and Reliability on Saturated Steam

RESULTS

- Reduced maintenance costs
- Improved operational availability
- Saved \$1,200 in labor/installation costs
- Eliminated unnecessary shutdowns

APPLICATION

Saturated Steam Billing Meter

APPLICATION CHARACTERISTICS

Saturated steam at 150 psig in a 2 in. line.

CUSTOMER

WE Energies is a power and natural gas supplier for approximately 1 million customers in Wisconsin and the upper peninsula of Michigan. We Energies also has five hundred steam customers in downtown Milwaukee.

CHALLENGE


In order to maintain saturated steam operational availability for their customers, We Energies needed a flowmeter that could easily verify the electronics, did not require a process shutdown for sensor verification or replacement, and did not require recalibration. An interruption in steam service can shut down the entire process plant, or leave a building without heat. During cold months, many customers will not accept an interruption in their steam service for flowmeter maintenance until outside temperatures are above 50 °F.

Since unplanned shutdowns of a customer's steam service is unacceptable, We Energies must use historical billing data to estimate steam usage until a mutually agreed upon shutdown can be initiated. To maintain the best possible service to their customers, We Energies must estimate steam usage conservatively in order to prevent over billing. This is a difficult task for new customers where a historical usage history is not available.



"We prefer the Rosemount 8800 Vortex meter and try to use it whenever we can. It provides the performance we require and has been more reliable than other meters we have used in the past."

*Jack Powers
I & E Lead Technician*



WE Energies' Rosemount 8800 MultiVariable steam installation.

ROSEMOUNT®

For more information:
www.rosemount.com


EMERSON™
Process Management

SOLUTION

We Energies installed the Rosemount MultiVariable™ (MV) vortex flowmeter, which includes an integral temperature sensor, for this installation in order to obtain a compensated mass flow. Since Rosemount vortex meters do not require annual calibration, We Energies reduced maintenance costs.

By using an easy-to-install in-line measurement device with the ability to measure compensated mass flow, We Energies saved \$1,200 in labor costs by not having to install multiple devices or run impulse lines in a cramped crawlspace. The integral temperature sensor in the Rosemount MV vortex flowmeter ensured that the meter provided an accurate mass flow measurement as fluctuations in the density of the steam occurred.

We Energies also improved the availability of the measurement point because the Rosemount MV vortex flowmeter temperature sensor and flow sensor are isolated from the process, providing a means for repair and replacement if necessary without shutting down the steam line. By having the ability to replace the sensors online, historical billing data would not need to be used for an extended period of time in the event of a sensor failure. Since the Rosemount MV vortex flowmeter is used for billing purposes, the built-in signal generator provided We Energies a means to easily prove their steam usage was being accurately measured.

RESOURCES

Emerson Process Management Power Generation Industry

<http://www2.emersonprocess.com/en-US/divisions/power-water/Pages/powerwater.aspx>

Rosemount 8800 Vortex Flowmeter

<http://www2.emersonprocess.com/en-US/brands/rosemount/Flow/Vortex-Flowmeters/8800-Series/Pages/index.aspx>

“In order to replace the sensors in other vortex meters you have to remove it to fix it. Isolated sensors make the Rosemount 8800 Vortex a more effective meter.”

Jack Powers
I & E Lead Technician

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, expressed or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which can be found at www.rosemount.com/terms_of_sale. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.

The Emerson logo is a trade mark and service mark of Emerson Electric Co. Rosemount and the Rosemount logotype are registered trademarks of Rosemount Inc. PlantWeb is a registered trademark of one of the Emerson Process Management group of companies. All other marks are the property of their respective owners.

**Emerson Process Management
Rosemount Incorporated**
8200 Market Boulevard
Chanhassen, MN 55317 USA
www.rosemount.com
Tel (USA) +1 800 522 6277
Tel (International) +1 (303) 527 5200
Fax +1 (303) 530 8459

Emerson Process Management
Blegistrasse 23
P.O. Box 1046
CH 6341 Baar
Switzerland
Tel +41 (0) 41 768 6111
Fax +41 (0) 41 768 6300

Emerson FZE
P.O. Box 17033
Jebel Ali Free Zone
Dubai UAE
Tel +971 4 811 8100
Fax +971 4 886 5465

**Emerson Process Management Asia
Pacific Private Limited**
1 Pandan Crescent
Singapore 128461
T (65) 6777 8211
F (65) 6777 0947
Enquiries@AP.EmersonProcess.com

**Emerson Process Management Latin America
Multipark Office Center**
Multipark Office Center
Turrubares Building, 3rd & 4th floor
Guachipelin de Escazu, Costa Rica
T+(506) 2505-6962
international.mmicam@emersonprocess.com

ROSEMOUNT®

For more information:
www.rosemount.com


EMERSON™
Process Management